

Laboratoire Sonopoïétique

Vertimiento Semántico Diapasonal — Sonocreatica

[PIL=Hz](#) **[Progression](#)** [Transposeur](#) [Comparateur](#) [Gamme](#) [Octaves](#) [Libre](#)

Explorateur de Progression Géométrique

Série: 1 - 2 - 4 - 8 - 16 - 32 - 64 - 128 - 1024 - 2048 - 4096 - 8192

Valeur PIL (log n)

1,618

[▶ Générer la progression](#)

FACTEUR	FRÉQUENCE (HZ)	PIL/HZ (+1024)	NOTE APPROX.
1	1.618000000	0.00158007813	G#-4
2	3.236000000	0.00316015625	G#-3
4	6.472000000	0.00632031250	G#-2
8	12.944000000	0.01264062500	G#-1
16	25.888000000	0.02528125000	G#0
32	51.776000000	0.05056250000	G#1
64	103.552000000	0.10112500000	G#2
128	207.104000000	0.20225000000	G#3
256	414.208000000	0.40450000000	G#4
512	828.416000000	0.80900000000	G#5
1024	1656.832000000	1.61800000000	G#6
2048	3313.664000000	3.23600000000	G#7
4096	6627.328000000	6.47200000000	G#8
8192	13254.656000000	12.94400000000	G#9

